



# FLATBEDS

# A hefty load area

---



The Autokaross flatbed is available for most brands of light commercial vehicles in today's market.

The flatbed is easy to adapt to your own transportation needs, by supplementing equipment such as tippers, loading cranes and tarpaulines. As a standard the flatbed has integrated and folding lashing rings.

To offer the lowest supplementary weight and provide the maximum payload the flatbed is based on a lightweight structure.

## Materials

- The flatbed and its undercarriage is made of high tensile aluminium and zinc alloyed steel plates and shaped anodized aluminium profiles.
- The profiles in the undercarriage are put together in a beam system which has good buoyancy .
- The flatbed loading surface is manufactured of plywood with an anti-slip surface.

## Cabin protection

- Security type cabin protection which is covering the rear cabin wall.
- The upper part of the cabin protection is made of a lacquered steel arch with mesh to provide good rear visibility.

## Side profiles

- The edges of the side profiles are angled to maximise the surface water runoff.
- Integrated hinges on side and rear boards.

## Lashing rings

- The flatbed has integrated and folding lashing rings as standard.

## Mudguards

- Mudguards manufactured of black PE-plastics.

## Side protection

- Side protection manufactured of anodized aluminium bars, and brackets of aluminium and zinc alloyed steel plates.
- Fitted as a standard to vehicles with gross weight above 3500kg, as an accessory for vehicles below 3500kg.

## Lights and reflexes


- Side- and width marker lights when demanded.
- ECE-reflexes

## Corner pillars

- Detachable corner pillars with opportunity to mount accessories such as hatch boxes and tarpaulines.

## Warranty

- Two years warranty against manufacturing or material defects.



## Accessories

- 01 Flatbed with crane mounting.** Standard flatbed with integrated crane mounting, support beams are included. The crane mountings are adapted to Hiab 008-026, Fassi Micro Cranes and Palfinger PC-series.
- 02 Tail-lift** for payloads up to 750kg (1653lb). The tail-lift is equipped with a 1450mm long loading ramp made of aluminium, one fixed and one spiral cord actuator.
- 03 Tarpaulins** in a variety of colours. Can be fitted with roll-up sides, and rear hatch with gas-springs in combination with tail-lift.
- 04 Tipper.** Standard flatbed with integrated reinforcement for electro-hydraulic rear tipper.
- 05 Loading surface** made of aluminium profiles for special use and higher payload.

- 06 Tool boxes** made of smooth surface aluminium plates with lockable lid of aluminium profiles.
- 07 On-top tool box** made of smooth surface aluminium plates with lockable doors of aluminium profiles on each side of the box. Available in two standard sizes.
- 08 Rear board support.** Extendable rear board support to increase the length of the flatbed and to prevent that the rear lights are blocked when loading extended loads.
- For the adaptation of our standard products to customers transportation needs, a wide range of effective solutions is available. For further information regarding accessories look at our webpage [www.autokaross.se](http://www.autokaross.se)

**Autokaross the leading brand in bodies for light commercial vehicles.**

Autokaross i Floby AB develops, manufactures and provides effective solutions for light commercial vehicles as platforms, box-bodies, covers, racking systems, fire and rescue vehicles and vehicles for social services. Our leading position in the market is established by quality, constant product development and focus on the customers.

Headquarters, Development department and manufacturing is placed in Floby outside the city of Falköping. You can find our branches in the cities of Gothenburg, Södertälje and Vellinge where they would be able to provide you with sales, installation and services supporting our whole product range.



Autokaross i Floby AB, Centralgatan 18, SE-521 51 Floby ■ +46 (0)515-72 34 00 ■ Mail [info@autokaross.se](mailto:info@autokaross.se)

[www.autokaross.se](http://www.autokaross.se)