



HATCH BODY

Hatch bodies that are stable and easy to work with.

The Autokaross hatch body is available in two versions, one adapted for the Autokaross flatbed conversion and one for the standard pick-up tray.

The hatch body is based on a light-weight structure to offer the lowest supplementary weight and provide the maximum payload.



Hatch-box mounted on standard pick-up tray.



Hatch-box mounted on Autokaross flatbed.



Materials

- Roof, front wall and hatches are made of reinforced thermo plastics which is 100% recyclable
- The material has a durable and strong surface which is easy to repair.
- Rounded and anodized aluminium corner pillars
- The transparent, 30mm thick roof gives a brighter inner environment which makes handling of goods and tools easier.

Hatches

- All hatches are provided with two gas springs to ensure a stable and safe opening of the hatch.
- Integrated hinges with sealed connection to the hatch-box roof, means that the hatches advantageously can be used as a rain cover

- The hinge is provided with a security device which protects the hatch-box when accidentally driving with the hatch open.
- As standard the hatches is connected to the sideboards on the flatbed version, and to the sides and bottom of the tray version.
- Flexible rubber seal to prevent leakage when movements in the hatch-box occur.
- Flush valve locks, integrated and lockable.

Ventilation

- Water resistant ventilation valve placed on the front wall.

Warranty

- Two years warranty against manufacturing or material defects.

LIGHT ■ STRONG ■ BRIGHT INNER ENVIRONMENT ■ STABLE HATCHES ■ 100% RECYCLABLE



Accessories

- 01 Rear doors** made of lightweight material. Integrated rubber seal to achieve maximum density, locking mechanism in stainless steel and hooks to secure the rear doors in an open position.
- 02 Hatches** that connects to the flatbed surface, side/backboard removed. (Only available on flatbed version)
- 03 Moulded front wall shelf** to extend the loading compartment above the cockpit (Only available on tray version)
- 04 Roof bars** made of shaped and anodized aluminium profiles. Maximum loading capacity 100kg (220,5lb)
- 05 Ladder** on the rear hatch/doors
- 06 Wear-resistant surface** of aluminium chequered plate.

- 07 Anti-skid tape** mounted on the roof surface.
- 08 Inner lights** consisting of 2 lights, one in each rear corner connected to hatch power switch.
- 09 Remote controlled central locking** on each hatch.
- 10 Warning lights** in order to alert the driver if any of the hatches are open.

For the adaptation of our standard products to customers transportation needs, a wide range of effective solutions is available. For further information regarding accessories look at our webpage _

Autokaross the leading brand in bodies for light commercial vehicles.

Autokaross i Floby AB develops, manufactures and provides effective solutions for light commercial vehicles as platforms, box-bodies, covers, racking systems, fire and rescue vehicles and vehicles for social services. Our leading position in the market is established by quality, constant product development and focus on the customers.

Headquarters, Development department and manufacturing is placed in Floby outside the city of Falköping. You can find our branches in the cities of Gothenburg, Södertälje and Vellinge where they would be able to provide you with sales, installation and services supporting our whole product range.



Autokaross i Floby AB, Centralgatan 18, SE-521 51 Floby ■ +46 (0)515-72 34 00 ■ Mail info@autokaross.se

www.autokaross.se